Amendments to the Claims

1

Please amend independent claims 1, 3-6, 11, 13-16, 21, 22, and 27-30 as indicated below. All claims are listed below. As a previous filed amendment may not have been entered, in case of inconsistency with the claims of record, this listing of claims is intended to replace all prior versions and listings of the claims:

- (Currently Amended) A method comprising:
- receiving video and enhanced content information including at least one identifier of web content associated with the video information;
- 4 <u>automatically</u> storing a copy of said <u>associated</u> web content associated <u>during a</u>
- 5 <u>broadcast of said</u> with the video information to allow arbitrary access thereto after said
- 6 [a] broadcast, said copy remaining accessible even if said associated web content is
- 7 <u>unavailable</u> of said video information;
- 8 storing <u>at least a portion of said received</u> video information for subsequent
- 9 playback after said broadcast; and
- storing corresponding said enhanced content information for subsequent access
- 11 thereto after said broadcast, wherein said storing is configured to allow playback of said
- 12 <u>video information</u> to be paused without losing synchronization between said video
- information and said copy of said web content.
- 14 2. (Original) The method of claim 1 further including storing said
- 15 enhanced content information in a random access memory.

1	3. (Currently Amended) The method of claim <u>1</u> [2] including storing				
2	said video information and said enhanced content information in a hard disk drive				
3	wherein said associated web content changes during the broadcast, and said				
4	automatically storing a copy including storing said changes to said associated web				
5	content so said changes are accessible during said subsequent playback.				
6	4. (Currently Amended) The method of claim 1, the method further				
7	comprising:				
8	converting said associated web content into a packetized format in which at least				
9	a subset of said packets include time codes to facilitate synchronizing a current state of				
10	said web content with said playback of the video information				
11	providing a time code to synchronize said video information with said enhanced				
12	content information.				
13	5. (Currently Amended) The method of claim 4 including providing said				
14	separate packets for video information and the enhanced content information and				
15	including a time codes in each packet of said packetized web content.				
16	6. (Currently Amended) The method of claim 4, further comprising:				
17	including providing a packet including determining a data packet sequence, each				
18	of said packets in the sequence derived from at least one packet of said video				
19	information and at least one corresponding packet of said packetized associated web				
20	content enhanced content information.				

1	7.	(Original)	The method of claim 1 including deriving a key frame from		
2	said enhanced content information.				
3	8.	(Original)	The method of claim 7 including deriving a key frame which		
4	enables the	enhanced co	entent information to be replayed.		
5	9.	(Original)	The method of claim 8 including storing the contents of a		
6	web browser buffer.				
7	10.	(Original)	The method of claim 9 wherein deriving a key frame includes		
. 8	storing a po	inter to the st	ored enhanced content information.		
9	11.	(Currently A	Amended) An article comprising a medium for storing		
10	instructions	operable to #	nat cause a processor-based system to perform:		
11	receive video and enhanced content information including at least one identifier				
12	of web content associated with the video information;				
13	automatically storing a copy of said associated web content associated during a				
14	broadcast of said with the video information to allow arbitrary access thereto after said				
15	[a] broadc	ast <u>, said copy</u>	remaining accessible even if said associated web content is		
16	unavailable	of said video	information;		
17	storin	ıg at least a p	ortion of store said received video information for subsequent		
18	playback said broadcast; and				
19	storing store corresponding said enhanced content information for subsequent				
20	access there	eto after said	broadcast, wherein said storing is configured to allow playback		

- 1 <u>of said video information</u> to be paused without losing synchronization between said
- 2 video information and said associated web content.

14

15

16

17

18

19

- 12. (Original) The article of claim 11 further storing instructions that cause a processor-based system to store said enhanced content information in a random access memory.
- 13. 6 (Currently Amended) The article of claim 11 12 wherein said associated web content changes during the broadcast, and said instructions for 7 8 performing further storing instructions that cause a processor-based system to store 9 said video information and said enhanced content information in a hard disk drive the 10 automatically storing a copy including instructions for storing said changes to said 11 associated web content so said changes are accessible during said subsequent 12 playback.
 - 14. (Currently Amended) The article of claim 11 further storing instructions to that cause a processor-based system to perform converting said associated web content into a packetized format in which at least a subset of said packets include time codes to facilitate synchronizing a current state of said web content with said playback of the video information
 - provide a time code to synchronize said video information with said enhanced content information.
- 20 15. (Currently Amended) The article of claim 14 further storing
 21 instructions that cause a processor-based system to provide said a separate packet for

- 1 video information and the enhanced content information and to provide a time codes in
- 2 <u>each packet of said packetized web content</u> for each packet.
- 3 16. (Currently Amended) The article of claim 14 further storing
- 4 instructions to that cause a processor-based system to perform determining a data
- 5 packet sequence, each of said packets in the sequence derived from at least one
- 6 packet of said provide a packet including video information and at least one
- 7 corresponding packet of said packetized associated web content enhanced content
- 8 information.
- 9 17. (Original) The article of claim 11 further storing instructions that cause
- 10 a processor-based system to derive a software key frame from said enhanced content
- 11 information.
- 12 18. (Original) The article of claim 17 further storing instructions that cause
- 13 a processor-based system to derive a software key frame which enables enhanced
- 14 content information to be replayed.
- 15 19. (Original) The article of claim 18 further storing instructions that cause
- a processor-based system to store the contents of a web browser buffer.
- 17 20. (Original) The article of claim 19 further storing instructions that cause
- a processor-based system to store a pointer to the stored enhanced content
- 19 information.
- 20 21. (Currently Amended) A system comprising:

ı	a processor, and			
2	a random access memory, coupled to said processor, to store at least			
3	video information for subsequent playback after a broadcast of said video			
4	information,			
5	enhanced content including at least one identifier of web content			
6	associated with the video information, and			
7	a copy of the associated web content to allow arbitrary access thereto			
8	synchronized with during replay of any portion of the video information, said copy			
. 9	automatically acquired during the broadcast without having to interact with said content			
10	and said copy remaining accessible even if originally associated web content is			
11	<u>unavailable</u>			
12	wherein said replay may be paused without losing synchronization			
13	between said video information and said associated web content.			
14	22. (Currently Amended) The system of claim 21 wherein said			
15	associated web content changes during the broadcast, the system including storage			
16	coupled to said processor for , said storage storing at least said program that causes			
17	the processor to store video information, said associated web content, and data to			
18	facilitate enhanced content information for subsequent random access playback of said			
19	video information where said access results in a corresponding portion of said stored			
20	web content provided from the automatically acquired copy.			
0.1				
21	23. (Original) The system of claim 22 wherein said program causes said			
22	enhanced content information to be stored as a software key frame.			

1	24. (Origina	The system of claim 23 wherein said program causes s	aid		
2	processor to store th	e contents of a web browser buffer.			
3	25. (Origina	nl) The system of claim 23 wherein said program causes a	1		
4	processor to derive a software key frame storing a pointer to the stored enhanced				
5	content information.				
6	26. (Origina	al) The system of claim 21 wherein said random access			
7	memory is a hard disk.				
8	27. (Currer	tly Amended) A method comprising:			
9	receiving video and enhanced content information to at least identify web content				
10	associated with the video information;				
11	automatically	storing a copy of said <u>associated</u> web content associated <u>durin</u>	ng a		
12	broadcast of said wit	n the video information to allow arbitrary access thereto after <u>s</u>	<u>said</u>		
13	[a] broadcast, said copy tracking changes in said associated web content during the				
14	broadcast and remaining available of said video information;				
15	determining a synchronization data between the video content and the stored				
16	copy of the associate	d web content; and			
17	storing the vid	eo information , the associated web content, and the determin	ıed		
18	synchronization data for subsequent synchronized playback after a broadcast of the				
19	video information, wherein of the video information and the associated web content is				
20	retained for at least as long as the video information remains stored, wherein said				

1 storing is configured to allow playback to be paused without losing synchronization between said video information and said associated web content. 2 3 28. (Currently Amended) The method of claim 27, wherein determining the synchronization data comprises determining time codes for said associated web 4 content providing a time code to facilitate synchronizing synchronize said video 5 6 information with said associated web content. 7 29. (Currently Amended) An apparatus comprising a machine accessible medium having associated data, which when accessed, results in a machine 8 9 performing: receiving video and enhanced content information to at least identify web content 10 11 associated with the video information; 12 automatically storing a copy of said web content associated with video information during a broadcast of with the video information to allow arbitrary access 13 thereto after the [a] broadcast, said copy tracking changes in said associated web 14 15 content during the broadcast of said video information; determining a synchronization data between the video content and the copy of 16 17 the associated web content; and 18 storing the video information , the associated web content, and the determined 19 synchronization data for subsequent synchronized playback after a broadcast of the 20 video information, wherein of the video information and the associated web content is

retained for at least as long as the video information remains stored, wherein said

- 1 storing is configured to allow playback to be paused without losing synchronization
- 2 between said video information and said associated web content.
- 3 30. (Currently Amended) The apparatus of claim 29, wherein
- 4 determining the synchronization associated data comprises determining time ocdes for
- 5 said associated web content to facilitate synchronizing for determining the
- 6 synchronization further includes data, which when accessed, results in the machine
- 7 performing:
- 8 providing a time code to synchronize said video information with said associated
- 9 web content.